

General Course Info

Basic Image Processing
Fall 2019

Times, rooms, teachers, website

Group 01:

8:15-10:00

room 219

practice leader: Márton Bese Naszlady

Group 01P:

10:15-12:00

room 220

practice leader: Márton Bese Naszlady

Group 02:

10:15-12:00

room 219

practice leader: Miklós Koller

Group 03:

12:15-14:00

room 219

practice leader: Miklós Koller

You should regularly check the official website of the course:

<http://kep.itk.ppke.hu>

Rules

- ***Attendance on the lab practices is obligatory!***
Skipping more than 3 practices leads to denial of the Teacher's signature.
- On each lab some programming tasks will be given to you. ***You have to work on the tasks during lab-time and follow the instructions of the practice leader*** in order to solve the exercises. ***You have to understand the code and be able to explain it.***
- ***It is allowed to use your own equipment*** (i.e. laptop). However, in this case you have to take full responsibility for all technical problems, software / hardware failure, version mismatch issues etc. (Be careful with file path separators: Windows '\', Linux '/'). MATLAB version: **R2017b or higher**
- ***Using someone else's code without citation is strictly forbidden!*** Code plagiarism instantly leads to denial of the Teacher's signature.

Requirements

- ***The exercises of the Labs have to be solved and submitted by the end of the day before the next Lab class*** (except for Lab 12.) The deadlines are clearly indicated both in the submission system and in the calendar.
- ***The exercises of the Assignments have to be solved and submitted by the deadline indicated both in the submission system and the calendar.***

The deadlines are always Tuesdays 23:59:59

There will be a total of 11 graded Labs (Lab 01–11) and 4 Assignments. In order to get the Teacher's signature the Student must

- collect at least 7 points from the Lab submissions (maximum 11), AND
- collect at least 14 points from the Assignment submissions (maximum 22), AND
- attend at least 10 lab practices (maximum 13).

>>[CALENDAR](#)<<

Grading

For each Lab, the grade of a submission is from the set $\{-1\} \cup [0, 1]$.


For each Assignment, the maximum number of points is given in the Assignment description.

The grade of a Lab is -1 if the submission is missing or the code throws a serious error (e.g. `MATLAB:UndefinedFunction`, `MATLAB:badsubscript`, `MATLAB:TooManyInputs` etc.)

Otherwise, the Lab's grade is a number from the $[0,1]$ interval depending on how well the required functions were implemented.

In case of a late submission the $[0,1]$ range (for Labs) or the maximum number of points (for Assignments) is scaled down by a factor L which depends on the date of submission.

Each task can be submitted only once!



Lab 1

Basic Image Processing
Fall 2019

Data in MATLAB

- how to create a matrix:

- `m1 = [22 12 42 32; 62 52 72 92];`
- `m2 = [11; 33];`

- transpose: `m2t = m2';`

- concatenate: `m3 = [m1, m2];`

- indexing:

- **index itself starts from 1!**
- single element: `element = m1(2, 1)`

`m1(1, end) = 77`

↑
special keyword

22	12	42	32
62	52	72	92

11
33

11	33
----	----

22	12	42	32	11
62	52	72	92	33

62

22	12	42	77
62	52	72	92

Data in MATLAB

m3:

22	12	42	32	11
62	52	72	92	33


- indexing:

- linear indexing:

- in the background, your ND array stored as a 1D column vector
 - with one index only (regardless the number of dimensions) you can refer to any of your element


element = m3(3)

m3(5) = 113



- accessing multiple elements aka. *indexing with vectors/matrices*:

- consecutively: mp1 = m3(2, 2:5)



- non-consecutively: mp2 = m3(1, 1:2:5)



Data in MATLAB

m3:

22	12	113	32	11
62	52	72	92	33

- indexing / acc. mult. elements continued:*

- along a whole dimension/direction: $m3(:, 3) = 19$



22	12	19	32	11
62	52	19	92	33

- with logical array / expression:

`idxs = logical([1 0 0 0 1; 1 0 0 0 0])`

`m3(idxs)`




22
62
11



1	0	0	0	1
1	0	0	0	0

22
32
33

`idxs2 = m3 > 20 & m3 < 40`
`m3(idxs2)`





1	0	0	1	0
0	0	0	0	1

- size, squeeze, reshape (please recap from MATLAB Help these & the chapter Matrix Indexing)

Image data in MATLAB

- **Picture elements (pixels) have a location** (vertical, horizontal, (and channel) coordinates) **and an intensity value.**
- role of the type of the data
 - `uint8` → range: [0, 255]
 - `double` → range: [0, 1]
double is the default type of every number in MATLAB
- number of dimensions of the array
 - 2 → grayscale or BW image
 - 3 → color image (channels 'r', 'g', 'b')





Script

vs.

Function



Both:

- created in the Editor, saved as *.m file
- sequence of commands, as typed in the Command Window

- **no formal constraint** on the syntax
- the **workspace is shared** with other, individual commands typed in the Command Window

- **syntax constraints:**
first line:
`[out_args] = function fname(in_args)`
last line:
`end`
the fname should match the name of the m-file
- the **workspace is individual:**
 - when terminates, all the variables are destroyed except return values
 - during execution, the outer workspace is unreachable

You will have to hand in functions only!

For every Lab and Assignment task you can download a “code package” containing all the necessary test images, scripts and empty functions.

Your task is to implement the functions as described in the “slides” of the Lab / Assignment.

After implementation, you should run the scripts, understand the whole project.

Finally, you have to upload the implemented function files only!
(I.e. no test images, scripts, results, reports etc. are needed).

But today is somewhat special :P

Now please
download the 'Lab 01' code package
from the
[submission system](#)

Exercise 1

Create a **script (script1.m)** in which:

- Using `imread()`, load the file 'AlfredoBorba_TuscanLandscape.jpg'
- Using `imshow()`, display the loaded image
- Create a logical variable which tells whether the image is color
 - Name the variable `isColor`
 - Check if the number of channels is exactly 3. For this you can use `size()`.
- Using `rgb2gray()`, convert the image to grayscale
- Using `imshow()`, display the grayscale image
- Using `imwrite()`, save the grayscale image into the output folder. Name it 'AlfredoBorba_TuscanLandscape_GRAY.jpg'

Run this script and examine the results.

Exercise 2a

Create a **script (script2.m)** in which:

- Using `imread()`, load the file 'AlfredoBorba_TuscanLandscape.jpg'
- Call the function `flip_and_rotate()`
 - Check the empty function file to know the input and output arguments
 - In Exercise 2b you have to implement this function
- Using `subplot()` and `imshow()`, display the three returned images side by side.

After implementing the function, run this script and examine the results.

Exercise 2b

Implement the **function flip_and_rotate()** in which:

- The first returned value `VER` have to be the vertically flipped input image. Use `flipud()`.
- The second returned value `HOR` have to be the horizontally flipped input image. Use `flipplr()`.
- The third returned value `ROT` have to be the input image rotated by 45 degrees clockwise. Use `imrotate()`.



Exercise 3

Implement the **function** `swap_RB_dumb()` in which:

- In the returned image `BGR` the red and blue channels of the input image have to be swapped.
- You have to carry out the operation pixel by pixel, using a `for` loop.

Implement the **function** `swap_RB_smart()` in which:

- In the returned image `BGR` the red and blue channels of the input image have to be swapped.
- You have to carry out the operation using array indexing, without any loops.

Run the **script** `script3.m` to test your functions, measure the runtimes and visualize the result. Compare the runtimes. *Remember, that doing matrix operations using loops is usually slower than using smart indexing!*

Dumb: 0.011179 seconds



Smart: 0.000878 seconds



Exercise 4

Implement the **function threshold()** in which:

- Check if the input image `IMG` is grayscale (has only one channel). If not:
 - display a warning (use `warning()`), and
 - convert the input to grayscale (use `rgb2gray()`).
- The returned value `TH` should be a black-and-white image $\{0, 255\}$ where all the pixels below the parameter `level` are black, the others are white.

Run the **script script4.m** to test your function and visualize the results of different threshold levels.

level = 50



level = 100



level = 150






Exercise 5

Implement the **function** `pad_image()` in which:

- The function should work with 1 or 2 input arguments.
 - Use `varargin`.
 - The first input is always the input image `IMG`.
 - If given, the second one is the border size (`border_size`).
 - If there is no second argument, the border size should be 10.
- Check if the input image `IMG` is grayscale (has only one channel). If not:
 - display a warning (use `warning()`), and
 - convert the input to grayscale (use `rgb2gray()`).
- The returned value `PAD` should be the grayscale image surrounded by zeros.
 - It's advised to create a bigger matrix filled with zeros and copy `IMG` in the center.

Run the **script** `script5.m` to test your function and visualize the results.




Exercise 6

Create a **script** `script6.m` in which:

- You should load the file 'AlfredoBorba_TuscanLandscape.jpg' and convert it to grayscale.
- Define a variable (`row`) and set its value to 150.
- Raise a new figure, display two subplots:
 - In the top, show the grayscale image.
 - On the grayscale image, plot a line according to the row number.
 - In the bottom, plot the pixel intensity levels in the selected row as a function of the column index.
 - Set the axis labels as seen in the next slide.

Run the script, visualize the result, play with the value of `row`.



THE END