

Basic Image Processing Algorithms

PPKE-ITK

Lecture 8.

Image and Video Segmentation

Previously on... Basic Image Processing

◎ Previous topics:

- Color Spaces, dithering
- 2D convolution, Canny edge detector
- Hough transformation & Image Enhancement
- Fourier analysis
- Texture analysis
- Image recovery
- Segmentation: Otsu, K-means and Morphology

Classical era
mainly from
'60s-'80s
(with
exceptions)


◎ Remaining topics:

- Markov Random Fields, Marked Point Processes
- Mean shift
- Descriptors: SIFT, HOG, Local Binary Patterns
- Video processing
- Machine Learning
- Deep Learning

Modern era
mainly from
'00s-'10s
(with
exceptions)


Recap: Morphological Operations

Limitations: distortion of object shapes



Beyond morphology based approaches?

- ◉ Pixel-by-pixel classification: observation (image) based knowledge, e.g. pixel color values, local texture features etc.
- ◉ Morphology to obtain homogeneous regions: prior knowledge



Markov Random Fields in Image Segmentation


- ⊙ Segmentation as pixel labeling
- ⊙ Probabilistic approach
 - Segmentation as MAP estimation
 - Markov Random Field (MRF)
 - Gibbs distribution & Energy function
- ⊙ Classical energy minimization
 - Simulated Annealing
 - Markov Chain Monte Carlo (MCMC) sampling
- ⊙ Example MRF model & Demo
- ⊙ Parameter estimation (EM)

MRF slides adopted © Zoltan Kato, University of Szeged, <http://www.inf.u-szeged.hu/~kato/>

Markov Random Fields in Image Segmentation

main principle

- ◎ Mapping the image to a graph
 - nodes are assigned to the different pixels, and the edges connect pixels which are in interaction
- ◎ Segmentation as pixel labeling:
 - each pixel gets a class-label from a task-dependent label set Λ
- ◎ Inverse problem formulation:
 - Instead of finding a direct algorithm to find the optimal labeling, we construct a (pseudo-) probability function which assigns a likelihood value to each possible global segmentation, then an optimization process attempts to find the labeling with the highest confidence
- ◎ What does the probability function depend on?
 - local feature vectors at each pixel (color, texture etc)
 - classes in Λ are as stochastic processes, described by different feature distributions
 - label consistency (soft) constraints between neighboring pixels
 - e.g. for preferring smooth segmentation map we penalize if two neighboring nodes have different labels



Segmentation as a Pixel Labelling Task

- Extract features from the input image

- Each pixel s in the image has a feature vector \bar{f}_s
- For the whole image, we have:

$$f = \{\bar{f}_s : s \in S\}: \text{global observation}$$

- Define the set of labels Λ


- Each pixel s is assigned a label $\omega_s \in \Lambda$
- For the whole image, we have:

$$\omega = \{\omega_s : s \in S\}: \text{global labeling}$$

- Ω : set of all possible ω global labelings (i.e. $\omega \in \Omega$)

- For an $N \times M$ image, there are $|\Omega| = |\Lambda|^{NM}$ possible global labelings.

- Which one is the right segmentation?**




Probabilistic Approach, MAP

- ◉ Define a ***probability measure*** on the set of all possible global labeling and select the most likely one.
- ◉ $P(\omega|f)$ measures the probability of a global labeling ω , given the observed features f
- ◉ Our goal is to find an optimal labeling $\hat{\omega}$ which ***maximizes*** $P(\omega|f)$
- ◉ This is called the ***Maximum a Posteriori (MAP)*** estimate:

$$\hat{\omega} = \operatorname{argmax}_{\omega \in \Omega} P(\omega|f)$$

Bayesian Framework

- By Bayes Theorem, we have

$$P(\omega|f) = \frac{P(f|\omega)P(\omega)}{P(f)} \propto P(f|\omega)P(\omega)$$


- $P(f)$ is constant
 - it does not depend on the actual labeling!
- We need to define $P(f|\omega)$ and $P(\omega)$ in our model

We will use **Markov Random Fields**

Why MRF Modelization?

- ◎ In real images, regions are often **homogenous**; neighboring pixels usually have similar properties (intensity, color, texture, ...) → prior neighborhood constraints vs. noisy pixel level descriptors
- ◎ **Markov Random Field (MRF)** is a probabilistic model which captures such contextual constraints
 - Well studied, strong theoretical background
 - Allows Monte-Carlo Markov Chain (MCMC) sampling of the (hidden) underlying structure → **Simulated Annealing**
 - Fast and exact solution for certain type of models → **Graph cut** [Kolmogorov]


What is MRF?

- ◎ To give a formal definition for Markov Random Fields, we need some basic building blocks
 - Observation Field and (hidden) Labeling Field
 - Pixels and their Neighbors
 - Cliques and Clique Potentials
 - Energy function
 - Gibbs Distribution

Markov Chains vs Markov Random Fields

- Recap: Discrete Markov Chains: discrete time, discrete state stochastic processes

- Given: set of possible states S_1, S_2, \dots, S_N
- q_t : state at time t , ($t = 1, \dots, T$)
- Observed state sequence: q_1, q_2, \dots, q_T
- Markov property:



$$P(q_t = S_j | q_{t-1} = S_i) = P(q_t = S_j | q_{t-1} = S_i, q_{t-2} = S_k, \dots, q_1 = S_l)$$




- Conditional probability of the current state only depends on the previous state (i.e. only neighboring states interact – in time)

- Markov Random Fields: instead of temporal neighboring states, we consider the spatially neighboring pixels

- Pixel labels are not independent, however, direct dependence is only considered between the spatial neighbors

Definition – Neighbors

- For each pixel, we can define some surrounding pixels as its neighbors.
- Example: 1st order neighbors and 2nd order neighbors




Definition – MRF

⊙ The labeling field X can be modeled as a Markov Random Field (MRF) if

1. For all $\omega \in \Omega$: $P(X = \omega) > 0$
2. For every $s \in S$ and $\omega \in \Omega$:

$$P(\omega_s | \omega_r, r \neq s) = P(\omega_s | \omega_r, r \in N_s)$$

- N_s denotes the neighbors of pixel s



Hammersley-Clifford Theorem

- ◉ The **Hammersley-Clifford Theorem** states that a random field is a MRF if and only if $P(\omega)$ follows a **Gibbs distribution**.



$$P(\omega) = \frac{1}{Z} \exp(-U(\omega)) = \frac{1}{Z} \exp\left(-\sum_{c \in \mathcal{C}} V_c(\omega)\right)$$

- where $Z = \sum_{\omega \in \Omega} \exp(-U(\omega))$ is a normalization constant
- ◉ *Practical consequence:*
 - probability functions of MRFs have a special form: they can be factorized into small terms $V_c(\omega)$ called **clique potentials**, which can be locally calculated on the graph
 - this property makes possible to design the $P(\omega)$ **probability function** in a modular way, and enables using efficient iterative optimization techniques
 - Technical note: instead of maximizing this probability function we usually minimize the minus logarithm of it, $U(\omega)$, which is called the **energy function**

Definition – Clique

- The H-C theorem provides us an easy way of defining MRF models via **clique potentials**.
- A subset $C \subseteq S$ is called a **clique** if every pair of pixels in this subset are neighbors.
- A clique containing n pixels is called **n^{th} order clique**, denoted by C_n
- The set of cliques in an image is denoted by


$$C = C_1 \cup C_2 \cup \dots \cup C_K$$



Definition – Clique Potential


- For each clique c in the image, we can assign a value $V_c(\omega)$ which is called **clique potential** of c , where ω is the configuration of the labeling field
- The sum of potentials of all cliques gives us the energy $U(\omega)$ of the configuration ω .

$$\begin{aligned} U(\omega) &= \sum_{c \in \mathcal{C}} V_c(\omega) = \\ &= \sum_{i \in \mathcal{C}_1} V_{C_1}(\omega_i) + \sum_{(i,j) \in \mathcal{C}_2} V_{C_2}(\omega_i, \omega_j) + \dots \end{aligned}$$



Segmentation of grayscale images: A simple MRF model

- Construct a segmentation model where regions are formed by spatial clusters of pixels with similar intensity:



MRF segmentation model

- Pixel labels (or classes) are represented by (for example) Gaussian distributions:


$$P(f_s|\omega_s) = \frac{1}{\sqrt{2\pi}\sigma_{\omega_s}} \exp\left(-\frac{(f_s - \mu_{\omega_s})^2}{2\sigma_{\omega_s}^2}\right)$$

- Clique potentials


- Singleton**: proportional to the likelihood of features given ω : $\log P(f|\omega)$
- Doubleton**: favors similar labels at neighboring pixels – **smoothness prior**

$$V_{C_2}(i, j) = \beta \delta(\omega_i, \omega_j) = \begin{cases} -\beta & \text{if } \omega_i = \omega_j \\ +\beta & \text{if } \omega_i \neq \omega_j \end{cases}$$

- as β increases, regions become more homogenous




Cliques



Model parameters

- ◎ Doubleton potential β
 - less dependent on the input \rightarrow
 - can be fixed a priori
- ◎ Number of labels $|\Lambda|$
 - Problem dependent \rightarrow
 - usually given by the user or
 - inferred from some higher level knowledge
- ◎ Each label $\lambda \in \Lambda$ is represented by a Gaussian distribution $N(\mu_\lambda, \sigma_\lambda)$:
 - estimated from the input image




Model parameters

- The class statistics (mean and variance) can be estimated via the ***empirical mean and variance***:

$$\forall \lambda \in \Lambda: \quad \mu_\lambda = \frac{1}{|S_\lambda|} \sum_{s \in S_\lambda} f_s$$
$$\sigma_\lambda^2 = \frac{1}{|S_\lambda|} \sum_{s \in S_\lambda} (f_s - \mu_\lambda)^2$$

- where S_λ denotes the set of pixels in the training set of class λ
- a training set consists in a representative region selected by the user



Energy function

- Now we can define the energy function of our MRF model:

$$U(\omega) = \sum_s \left(\log(\sqrt{2\pi}\sigma_{\omega_s}) + \frac{(f_s - \mu_{\omega_s})^2}{2\sigma_{\omega_s}^2} \right) + \sum_{s,r} \beta \delta(\omega_s, \omega_r)$$

- Recap: the $P(\omega)$ probability can be directly derived from the energy


$$P(\omega) = \frac{1}{Z} \exp(-U(\omega)) = \frac{1}{Z} \exp\left(-\sum_{c \in C} V_c(\omega)\right)$$

- Hence:

$$\hat{\omega}^{MAP} = \operatorname{argmax}_{\omega \in \Omega} P(\omega|f) = \operatorname{argmin}_{\omega \in \Omega} U(\omega)$$

Optimization

- ⊙ Problem reduced to the minimization of a **non-convex** energy function
 - Many local minima
- ⊙ Gradient descent?
 - Works only if we have a *good* initial segmentation
- ⊙ Simulated Annealing
 - Always works (at least in theory)




ICM (Iterated Conditional Mode)

~Gradient descent approach [Besag86]

1. Start at a „good” initial configuration ω^0 and set $k = 0$.
2. For each configuration which differs *at most* in one element from the current configuration ω^k (they are denoted by \mathcal{N}_{ω^k}), compute the energy $U(\eta)$ ($\eta \in \mathcal{N}_{\omega^k}$).
3. From the configurations \mathcal{N}_{ω^k} , select the one which has the minimal energy:

$$\omega^{k+1} = \operatorname{argmin}_{\eta \in \mathcal{N}_{\omega^k}} U(\eta)$$

4. Goto Step 2, with $k = k + 1$ until convergence obtained (for example the energy change is less than a certain threshold).



ICM (Iterated Conditional Mode)


ICM for image segmentation models

1. Start at a „good” initial **segmentation** ω^0 and set $k = 0$.
2. For each **segmentation** which differs *at most in one pixel's label* (pixel s) from the current segmentation ω^k (they are denoted by \mathcal{N}_{ω^k}), compute the energy **$\Delta U(\eta) = U(\eta) - U(\omega^k)$** ($\eta \in \mathcal{N}_{\omega^k}$).
3. From the configurations \mathcal{N}_{ω^k} , select the one which has the minimal energy:

$$\omega^{k+1} = \underset{\eta \in \mathcal{N}_{\omega^k}}{\operatorname{argmin}} \Delta U(\eta)$$

4. Goto Step 2, with $k = k + 1$ until convergence obtained (for example the energy change is less than a certain threshold).


Only depends on pixel s and its four neighbors




ICM initialization

- ◎ Per-pixel Maximum a Posteriori (MAP) estimate:

$$\omega_s^0 = \operatorname{argmin}_{\lambda \in \Lambda} \left(\log(\sqrt{2\pi}\sigma_\lambda) + \frac{(f_s - \mu_\lambda)^2}{2\sigma_\lambda^2} \right)$$





Input image




Initial label map

ICM optimization steps




ICM vs. Simulated Annealing



 means observed



ICM



Global min

Simulated Annealing: accept a move even if energy increases (with certain probability)

Can get stuck in local minima!

Slide adopted from C. Rother ICCV'09 tutorial:
<http://research.microsoft.com/>

Simulated Annealing

Modified Metropolis Dynamics (MMD)

1. Set $k = 0$ and initialize ω randomly. Choose a sufficiently high initial temperature $T = T_0$.
2. Construct a trial perturbation η from the current configuration ω such that η differs only in one element from ω .
3. **(Metropolis criteria)** Compute $\Delta U = U(\eta) - U(\omega)$ and accept η if $\Delta U < 0$ else accept with probability $\exp(-\Delta U/T)$ (analogy with thermodynamics):

$$\omega = \begin{cases} \eta & \text{if } \Delta U \leq 0 \\ \eta & \text{if } \Delta U > 0 \text{ and } \xi < \exp(-\Delta U/T) \\ \omega & \text{otherwise} \end{cases}$$

where ξ is a uniform random number in $[0,1[$.


4. Decrease the temperature $T = T_{k+1}$ and goto step 2 with $k = k + 1$ until the system is frozen.

Temperature Schedule


- ⊙ **In theory:** should be logarithmic – **in practice:** exponential schedule is reasonable
- ⊙ **Initial temperature:** set it to a relatively low value (~ 4) \rightarrow faster execution
 - must be high enough to allow random jumps at the beginning!
- ⊙ **Schedule:** $T_{k+1} = c \cdot T_k$, $k = 0, 1, 2, \dots$ (e.g. $c = 0.95$).
- ⊙ **Stopping criteria:**
 - Fixed number of iterations
 - Energy change is less than a thresholds

MMD segmentation


- ◎ Starting MMD: random label map!



ICM vs MMD



ICM result



MMD result

MRF Summary

- ◎ Design your model carefully
 - Optimization is just a tool, do not expect a good segmentation from a wrong model
- ◎ What about other than graylevel features?
 - Extension to color is relatively straightforward



What color features?



RGB histogram




CIE-L*u*v* histogram




Extract Color Feature

- ◎ We adopt the CIE- $L^*u^*v^*$ color space because it is *perceptually uniform*.
 - Recap from earlier slides: similarly to CIE- $L^*a^*b^*$, color difference can be measured here by Euclidean distance of two color vectors.
- ◎ We convert each pixel from RGB space to CIE- $L^*u^*v^*$ space
 - We have 3 color feature images



L^*



u^*



v^*

Color MRF segmentation model

- Pixel labels (or classes) are represented by three-variate Gaussian distributions


$$P(f_s|\omega_s) = \frac{1}{\sqrt{2\pi}|\Sigma_{\omega_s}|} \exp\left(-\frac{1}{2}(\bar{f}_s - \bar{\mu}_{\omega_s})\Sigma_{\omega_s}^{-1}(\bar{f}_s - \bar{\mu}_{\omega_s})^T\right)$$

- Clique potentials


- Singleton:** proportional to the likelihood of features given ω : $\log P(f|\omega)$
- Doubleton:** favors similar labels at neighboring pixels – **smoothness prior**

$$V_{C_2}(i,j) = \beta\delta(\omega_i, \omega_j) = \begin{cases} -\beta & \text{if } \omega_i = \omega_j \\ +\beta & \text{if } \omega_i \neq \omega_j \end{cases}$$




- as β increases, regions become more homogenous





Cliques



Segmentation examples



gray level based segmentation



color image segmentation